

PRODUCT DATA SHEET

Ansell Lighting AADL/3M/W



Adler Exit Sign Maintained / Non-Maintained White

Manufacturer: Ansell Lighting

GTIN: 5056144259502

Range: Adler Exit Sign

Family: Emergency



DESCRIPTION

Light weight contemporary Ansell design, multiple install options LED Exit Sign

- Rotatable legends to reduce waste and increase flexibility
- One fitting that enables choice of five different mounting options: Suspension, Recessed, Ceiling surface, Wall surface, Side arm wall mounting
- 1 metre suspension cable supplied as standard
- LiFePO4 Lithium battery provides improved energy consumption, product reliability and lifetime
- Available in black and white finishes
- Self-test emergency as standard

TECHNICAL SPECIFICATION

ETIM Class: Emergency luminaire (EC001957)



Primary Features

Colour temperature (K)	6500 - 6500	Lamp included	Yes
Degree of protection (IP rating)	IP20	Maximum system power (W)	2
Function	Escape route signage	Nominal voltage (V)	230 - 230



Additional Features

Battery chemistry	Lithium-ions	Monitoring equipment	Automatic self test
Height/depth (mm)	35	Pictogram included	Yes
Housing colour	White	Protection class	I
Labelling type	Insert sheet/plate	Viewing distance (m)	25
Length (mm)	212	Width (mm)	286

FURTHER DETAILS

Product Status (at download): Active

Date Updated: 03-05-2023

Trade Tariff Commodity Code: 9405612090

Country of Origin: CN

Ansell Lighting, Unit 6B Stonecross Industrial Park Yew Tree Way, Warrington, WA3 3JD

☎ 01942 433 333

✉ saleswarrington@anselluk.com

🌐 <http://www.anselluk.com>

Disclaimer

- This Data Sheet was downloaded from EDATA - www.edata.org.uk - the UK electrotechnical industry data pool managed by EDA Data Services Limited on behalf of the Electrical Distributors' Association, on 05/10/2023.
- All intellectual property rights in the Product Data shown in this Data Sheet remains at all times the property of the Manufacturer named on the Data Sheet
- Product Data shown on the Data Sheet is for the product as supplied by the Manufacturer. Any subsequent modification of the product may affect specification and performance.
- Every reasonable effort is made to ensure accuracy of the Product Data which is believed to be correct at the date of download from EDATA. However neither the Manufacturer, the Wholesaler who downloaded the Data Sheet, nor EDA Data Services warrant the accuracy of the Product Data.
- The Product Data shown on the Data Sheet is not contractually binding. The Manufacturer reserves the right to amend the Product Data without prior notice.