

PRODUCT DATA SHEET

Ansell Lighting ABROLED



Brooklyn Bi-Directional Cool White

Manufacturer: Ansell Lighting

GTIN: 5056144216888

Range: Brooklyn

Family: Commercial



DESCRIPTION

High performance bi-directional suspendable LED linear suitable for retail and office applications

- Integral LED driver provides a unique aesthetically pleasing design
- White anodised aluminium frame
- Supplied c/w 1.2m suspension kit as standard
- 1-10V dimmable as standard

TECHNICAL SPECIFICATION

ETIM Class: Ceiling / wall luminaire (EC002892)



Primary Features

Colour of light	White	Luminaire efficacy (lm/W)	117
Colour temperature (K)	4000 - 4000	Maximum system power (W)	35
Degree of protection (IP rating)	IP20	Nominal voltage (V)	220 - 240
Housing colour	White	Rated luminous flux acc. IEC 62722-2-1 (lm)	4100
Lamp included	Yes		



Additional Features

Beam angle	Extreme wide beam >80°	Suitable for ceiling mounting	Yes
Colour consistency (McAdam ellipse)	SDCM6	Suitable for emergency lighting	No
Colour rendering index (CRI/Ra)	80-89	Suitable for recessed mounting	No
Colour temperature switchable	No	Suitable for surface mounting	No
Control gear included	Yes	Suitable for suspended mounting	Yes
Dimming 1-10 V	Yes	Unified Glare Rating (UGR)	22
Height/depth (mm)	22	Width (mm)	295
Housing material	Aluminium	With light sensor	No
Length (mm)	1195	With movement sensor	No
Protection class	I		

FURTHER DETAILS

Product Status (at download): Active

Date Updated: 03-05-2023

Trade Tariff Commodity Code: 9405119090

Country of Origin: CN

Ansell Lighting, Unit 6B Stonecross Industrial Park Yew Tree Way, Warrington, WA3 3JD

☎ 01942 433 333

✉ saleswarrington@anselluk.com

🌐 <http://www.anselluk.com>

Disclaimer

- This Data Sheet was downloaded from EDATA - www.edata.org.uk - the UK electrotechnical industry data pool managed by EDA Data Services Limited on behalf of the Electrical Distributors' Association, on 19/10/2023.
- All intellectual property rights in the Product Data shown in this Data Sheet remains at all times the property of the Manufacturer named on the Data Sheet
- Product Data shown on the Data Sheet is for the product as supplied by the Manufacturer. Any subsequent modification of the product may affect specification and performance.
- Every reasonable effort is made to ensure accuracy of the Product Data which is believed to be correct at the date of download from EDATA. However neither the Manufacturer, the Wholesaler who downloaded the Data Sheet, nor EDA Data Services warrant the accuracy of the Product Data.
- The Product Data shown on the Data Sheet is not contractually binding. The Manufacturer reserves the right to amend the Product Data without prior notice.