### **PRODUCT DATA SHEET**

# Ansell Lighting AIRMLED/POD/3NM/ST



# **Panel Pod Self-Test Emergency**

Manufacturer: Ansell Lighting

GTIN: 5056144207459 Range: Panel Pod

Family: Commercial







### **DESCRIPTION**

Integral Self-Test emergency pod to convert any Pace LED and Endurance LED panel to emergency, instantly

- LiFePO4 Lithium battery provides improved energy consumption, product reliability and lifetime
- Simple, quick twist and lock fixing
- Supplied with a pre-wired 1 Metre cable for ease of installation
- Tri-colour LED shows green for healthy running condition, red/flashing for fault conditions and white for emergency operation
- Patent Protected. GB 2522285B (United Kingdom)
- Patent Protected. EP 2957826B (Europe)

### **TECHNICAL SPECIFICATION**

**ETIM Class: Emergency luminaire (EC001957)** 

### ETIM UK

#### **Primary Features**

Co	olour temperature (K)	6500 - 6500	Nominal voltage (V)	220 - 240
De	egree of protection (IP rating)	IP20	Rated luminous flux acc. IEC 62722-2-1 (lm)	189
M	aximum system power (W)	5		



19/10/2023 Page 1 of 2



#### **Additional Features**

Height/depth (mm)	45	Monitoring equipment	Automatic self test
Housing colour	White	Protection class	I
Length (mm)	125		

## **FURTHER DETAILS**

Product Status (at download): Active		Date Updated: 03-05-2023					
Trade Tariff Commodity Code: 9405114090		Country of Origin: CN					
Ansell Lighting, Unit 6B Stonecross Industrial Park Yew Tree Way, Warrington, WA3 3JD							
	Saleswarrington@anselluk.com	☐ http://www.anselluk.com					

#### **Disclaimer**

- This Data Sheet was downloaded from EDATA www.edata.org.uk the UK electrotechnical industry data pool managed by EDA Data Services Limited on behalf of the Electrical Distributors' Association, on 19/10/2023.

- All intellectual property rights in the Product Data shown in this Data Sheet remains at all times the property of the Manufacturer named on the Data Sheet
  Product Data shown on the Data Sheet is for the product as supplied by the Manufacturer. Any subsequent modification of the product may affect specification and performance.
  Every reasonable effort is made to ensure accuracy of the Product Data which is believed to be correct at the date of download from EDATA. However neither the Manufacturer, the Wholesaler who downloaded the Data Sheet, nor EDA Data Services warrant the accuracy of the Product Data.
  The Product Data shown on the Data Sheet is not contractually binding. The Manufacturer reserves the right to amend the Product Data without prior notice.

19/10/2023 Page 2 of 2