# PRODUCT DATA SHEET Ansell Lighting ATURWOLED/70



### **Turlock Inground Uplight 70mm Cool White**

Manufacturer: Ansell Lighting GTIN: 5056144222353 Family: Amenity

Range: Turlock





## DESCRIPTION

Powerful compact LED inground uplight suitable for commercial, hospitality and residential applications

- Die-cast aluminium construction with 316L stainless steel top frame
- Static load test to 2000kg
- Supplied c/w installation housing for additional protection and ease of installation
- Pre-wired with 1 metre of rubber insulated cable
- Non-dimmable
- Powered by HEP

### **TECHNICAL SPECIFICATION**

### ETIM Class: In-ground luminaire (EC000758)

#### **Primary Features**

Colour of light	White	Maximum system power (W)	3
Colour temperature (K)	4000 - 4000	No dimming function	Yes
Degree of protection (IP rating)	IP67	Nominal voltage (V)	230 - 230
Housing colour	Stainless steel	Number of lamps	1
Lamp included	Yes	Rated luminous flux acc. IEC 62722-2-1 (lm)	135



ETIM UK



#### **Additional Features**

Beam angle	Narrow beam 10-20°	Impact resistance (IK rating)	IK10
Colour rendering index (CRI/Ra)	80-89	Maximum load (kg)	2000
Control gear included	Yes	Outer diameter (mm)	68
Height/depth (mm)	140	Protection class	I

### **FURTHER DETAILS**

Product Status (at download): Active

Trade Tariff Commodity Code: 9405423990

Ansell Lighting, Unit 6B Stonecross Industrial Park Yew Tree Way, Warrington, WA3 3JD S 01942 433 333 ⊠ saleswarrington@anselluk.com

Date Updated: 03-05-2023 Country of Origin: CN

http://www.anselluk.com

#### Disclaimer

- This Data Sheet was downloaded from EDATA www.edata.org.uk the UK electrotechnical industry data pool managed by EDA Data Services Limited on behalf of the Electrical Distributors' Association, on 12/10/2023.
- All intellectual property rights in the Product Data shown in this Data Sheet remains at all times the property of the Manufacturer named on the Data Sheet
  Product Data shown on the Data Sheet is for the product as supplied by the Manufacturer. Any subsequent modification of the product may affect specification and performance.
  Every reasonable effort is made to ensure accuracy of the Product Data which is believed to be correct at the date of download from EDATA. However neither the Manufacturer, the Wholesaler who downloaded the Data Sheet, nor EDA Data Services warrant the accuracy of the Product Data.
  The Product Data shown on the Data Sheet is not contractually binding. The Manufacturer reserves the right to amend the Product Data without prior notice.