



# iQ Ceramic

## WiFi Controlled Electric Radiator

Ecostrad iQ Ceramic radiators are built for maximum efficiency with their heat-retentive stone plates and WiFi control system. Coupled with a minimalist design with a touchscreen LCD control panel, they're the optimum choice for heating modern interiors and can be programmed to fit around any routine or lifestyle.



CeramiQ Heat Lock  
Technology



WiFi  
Ready



Voice Control  
Compatible



Motion Sensor  
Mode



Touchscreen  
Control Panel



10 Year  
Warranty



- Heat-retentive ceramic stone core
- In-built wifi connectivity
- Alexa & google home voice control
- Motion detection mode
- Silent triac thermostat
- Ultra-slim 80mm deep housing
- Lockable touchscreen control panel
- Daily & weekly programming
- Comfort, eco & anti-frost modes
- Open window detection
- Thermal limiter for safety
- 10 year manufacturer's warranty

## Technical Details

|                |                                                                                                  |
|----------------|--------------------------------------------------------------------------------------------------|
| Materials      | Aluminium, moulded plastic side panels                                                           |
| Colours        | White, Black                                                                                     |
| Cable          | 1.5m with fitted plug, right side                                                                |
| Installation   | Wall mounted with brackets included, Freestanding with optional feet, Not suitable for bathrooms |
| Voltage        | 230V, 50Hz                                                                                       |
| Protection     | IPX0, Class II                                                                                   |
| Warranty       | 10 years on radiator body, 2 years on electronics                                                |
| Certifications | CE UK CA                                                                                         |



## iQ Ceramic Models Available (White)

| Size                               | iQ-C-05  | iQ-C-10  | iQ-C-15  | iQ-C-18  | iQ-C-20  | iQCFeet  |
|------------------------------------|----------|----------|----------|----------|----------|----------|
| SKU                                | 12502034 | 12502035 | 12502036 | 12502037 | 12502038 | 12502039 |
| Wattage (w)                        | 500      | 1000     | 1500     | 1800     | 2000     | N/A      |
| Width (mm)                         | 425      | 525      | 625      | 725      | 825      | 90       |
| Height (mm)                        | 567      | 567      | 567      | 567      | 567      | 100      |
| Depth (mm)                         | 80       | 80       | 80       | 80       | 80       | 300      |
| Fitted Depth (mm)                  | 110      | 110      | 110      | 110      | 110      | N/A      |
| Front Panels                       | 3        | 4        | 5        | 6        | 7        | N/A      |
| Product Weight (kg)                | 8.8      | 11.25    | 12.95    | 14.8     | 17.55    | 1        |
| Room Size - Max (m <sup>2</sup> )* | 5.5      | 11       | 18       | 22       | 24.5     | N/A      |
| Room Size - Min (m <sup>2</sup> )* | 4.5      | 9        | 15       | 18       | 21       | N/A      |

\* Please note – stated heating areas are approximate, based on usage of the heater at full temperature capacity. If the internal temperature is set at a lower level, effective heating areas will be reduced.



### iQ Ceramic Models Available (Black)

| Size                               | iQ-C-B-05 | iQ-C-B-10 | iQ-C-B-15 | iQ-C-B-18 | iQ-C-B-20 | IQCFeet-B |
|------------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| SKU                                | 12502240  | 12502241  | 12502242  | 12502243  | 12502244  | 12502356  |
| Wattage (w)                        | 500       | 1000      | 1500      | 1800      | 2000      | N/A       |
| Width (mm)                         | 425       | 525       | 625       | 725       | 825       | 90        |
| Height (mm)                        | 567       | 567       | 567       | 567       | 567       | 100       |
| Depth (mm)                         | 80        | 80        | 80        | 80        | 80        | 300       |
| Fitted Depth (mm)                  | 110       | 110       | 110       | 110       | 110       | N/A       |
| Front Panels                       | 3         | 4         | 5         | 6         | 7         | N/A       |
| Product Weight (kg)                | 8.8       | 11.25     | 12.95     | 14.8      | 17.55     | 1         |
| Room Size - Max (m <sup>2</sup> )* | 5.5       | 11        | 18        | 22        | 24.5      | N/A       |
| Room Size - Min (m <sup>2</sup> )* | 4.5       | 9         | 15        | 18        | 21        | N/A       |

\* Please note – stated heating areas are approximate, based on usage of the heater at full temperature capacity. If the internal temperature is set at a lower level, effective heating areas will be reduced.